＜研究業績リスト 2025 January Ver.＞

西村　顕

## 〔I〕学術論文（査読有）

| No. | 題　　目 | 発 表 誌 名 | 巻 号 頁 | 発表年 | 著 者 名 |
|---|---|---|---|---|---|
| 1 | パルス流動層の流動特性に及ぼすパルスサイクルならびに粒子層高の影響 | 化学工学論文集 | **25**-3, 395-399. | 1999 | 西村顕, 出口清一, 松田仁樹, 架谷昌信, Arun S. Mujumdar |
| 2 | パルス流動層の断続的流動下における気泡特性 | 化学工学論文集 | **26**-1, 88-93. | 2000 | 西村顕, 出口清一, 松田仁樹, 架谷昌信, Arun S. Mujumdar |
| 3 | パルス流動層の伝熱特性と気泡特性との相関 | 化学工学論文集 | **26**-6, 830-836. | 2000 | 西村顕, 出口清一, 松田仁樹, 架谷昌信, Arun S. Mujumdar |
| 4 | 二次元パルス流動層の気泡特性と圧力・層変動 | 化学工学論文集 | **28**-1, 121-124. | 2002 | 西村顕, 星野博司, 小林敬幸, 架谷昌信 |
| 5 | Heat Transfer Characteristics in a Pulsated Fluidized Bed in Relation to Bubble Characteristics | Heat Transfer Asian Research | **31**-4, 307-319. | 2002 | Akira Nishimura, Seiichi Deguchi, Hitoki Matsuda, Masanobu Hasatani, Arun S. Mujumdar |
| 6 | Sorption Drying of Soybean Seeds with Silica Gel. Part 1: Hydrodynamics of a Fluidized Bed Dryer | Drying Technology- an International Journal | **20**-6, 1193-1213. | 2002 | Zhanyong Li, Noriyuki Kobayashi, Akira Nishimura, Masanobu Hasatani |
| 7 | 密閉型オシレート流動層の開発 | 化学工学論文集 | **29**-4, 493-499. | 2003 | 出口清一, 出口雅之, 西村顕, 藤間幸久 |

| | | | | | |
|---|---|---|---|---|---|
| 8 | 密閉型オシレート流動層の伝熱特性と気泡挙動との相関 | 化学工学論文集 | **29**-4, 585-587. | 2003 | 出口清一, 出口雅之, 磯部幹隆, 西村顕, 藤間幸久 |
| 9 | 循環流動層ライザ縮流部での下降粒子抑制最低ガス速度の定式化 | 化学工学論文集 | **29**-5, 1-7. | 2003 | 出口清一, 水野孝昭, 松岡久美, 西村顕, 那須英夫, 藤間幸久 |
| 10 | A Method to Predict the Minimum Fluidization Velocity of Binary Mixture Based on Particle Packing Properties | Chemical Engineering Communications | **129**, 918-932. | 2005 | Zhanyong Li, Noriyuki Kobayashi, Akira Nishimura, Masanobu Hasatani |
| 11 | Comparison of Coal-Fired and Natural Gas-Fired Power Plants as Economically Viable and Ecologically Sustainable Power Generation Systems | International Journal of Emerging Electric Power Systems | **3**-2, Article 1116. | 2005 | Sate Sampattagul, Seizo Kato, Tanongkiat Kiatsiriroat, Naoki Maruyama, Akira Nishimura |
| 12 | $CO_2$改質性能におよぼすコーティング$TiO_2$膜作製条件の影響 | 化学工学論文集 | **33**-2, 146-153. | 2007 | 西村顕, 杉浦暢政, 藤田光将, 加藤征三, 加藤真示 |
| 13 | 金属担持を施したコーティング$TiO_2$膜の$CO_2$改質性能 | 化学工学論文集 | **33**-5, 432-438. | 2007 | 西村顕, 藤田光将, 加藤征三, 加藤真示 |
| 14 | $CO_2$ Reforming into Fuel Using $TiO_2$ Photocatalyst and Gas Separation Membrane | Catalysis Today | **148**, 341-349. | 2009 | Akira Nishimura, Nobuyuki Komatsu, Go Mitsui, Masafumi Hirota, Eric Hu |

| | | | | | |
|---|---|---|---|---|---|
| 15 | サーモグラフィーによる固体高分子形燃料電池の in situ 温度面分布計測と温度面分布生成因子の解明 | 化学工学論文集 | **35**-5, 442-453. | 2009 | 西村顕, 竹内将幸, 澁谷健一, 廣田真史, 加藤征三, 中村義弘, 小島正嗣, 成田雅彦, 舘祐成, 葛山弘一 |
| 16 | Solar Thermal Aided Power Generation | Applied Energy | DOI: 10.1016/j.apenergy.2009.10.025. | 2009 | Eric Hu, Yong Ping Yang, Akira Nishimura, Ferdi Yilmaz, Abbas Kouzani |
| 17 | Visualization of Temperature Distribution and Clarification of Heat and Mass Transfer Mechanism in a Single Cell of PEFC | Journal of Thermal Science and Technology | **4**-4, 438-452. | 2009 | Akira Nishimura, Kenichi Shibuya, Masayuki Takeuchi, Masafumi Hirota, Seizo Kato, Yoshihiro Nakamura, Hironari Tachi, Masahiko Narita |
| 18 | Life Cycle Assessment and Evaluation of Energy Payback Time on High-Concentration Photovoltaic Power Generation Systems | Applied Energy | DOI: 10.1016/j.apenergy.2009.08.011., 2797-2807. | 2010 | Akira Nishimura, Yasushi Hayashi, Kazuo Tanaka, Masafumi Hirota, Seizo Kato, Masakazu Ito, Kenji Araki, Eric J Hu |

| | | | | | |
|---|---|---|---|---|---|
| 19 | サーモグラフィーによる固体高分子形燃料電池単セル内温度面分布 in situ 計測（第 1 報，流入ガス流量とセパレーターのガス流路ピッチが温度面分布と発電性能に及ぼす影響評価） | 日本機械学会論文集（B 編） | **76**-762, 342-351. | 2010 | 西村顕, 澁谷健一, 森本淳志, 田中成季, 廣田真史, 中村義弘, 小島正嗣, 成田雅彦 |
| 20 | Multi-point and Multi-Level Solar Integration into Conventional Power Point | Energy & Fuels | DOI: 10.1021/ef9012906. | 2010 | Qin Yan, Yongping Yang, Akira Nishimura, Abbas Kouzani, Eric Hu |
| 21 | Using $TiO_2$ Photocatalyst with Adsorbent to Oxidize Carbon Monoxide in Rich Hydrogen | Catalysis Today | DOI:10.1016/j.cattod.2010.03.076, **158**, pp.296-304. | 2010 | Akira Nishimura, Tomokazu Hisada, Masafumi Hirota, Mitsuhiro Kubota, Eric Hu |
| 22 | $CO_2$ Reforming Performance and Visible Light Responsibility of Cr-doped $TiO_2$ Prepared by Sol-Gel and Dip-Coating Method | International Journal of Chemical Engineering | DOI:10.1155/2010/309103, **2010**, Article ID 309103. | 2010 | Akira Nishimura, Go Mitsui, Masafumi Hirota, Eric Hu |
| 23 | Characteristics of Carbon Monoxide Oxidization in Rich Hydrogen by Mesoporous Silica with $TiO_2$ Photocatalyst | International Journal of Photoenergy | DOI:10.1155/2010/294217, **2010**, Article ID 294217, 9 pages. | 2010 | Akira Nishimura, Yutaka Yamano, Tomokazu Hisada, Masafumi Hirota, Eric Hu |
| 24 | Investigation on Impact of Separator Structure on In-plane Distribution of Coupling Phenomena in Single Cell of PEFC to Realize Uniform Distribution | Journal of Thermal Science and Technology | **5**-2, 319-341. | 2010 | Akira Nishimura, Kenichi Shibuya, Atsushi Morimoto, Shigeki Tanaka, Masafumi Hirota, Yoshihiro Nakamura, Masashi Kojima, Masahiko Narita |

| | | | | | |
|---|---|---|---|---|---|
| 25 | 垂直上昇多分岐管における気液二相分配 | 混相流 | **24**-5, 577-585. | 2010 | ズラズマン・ラズラン, 五島宏明, 廣田真史, 水野安浩, 丸山直樹, 西村顕, 磯部僚太 |
| 26 | In-situ Measurement of In-plane Temperature Distribution in a Single-cell Polymer Electrolyte Fuel Cell Using Thermograph (1st Report: Impacts of Gas Flow Rate at Inlet and Gas Channel Pitch of Separator on In-Plane Temperature Distribution and Power Generation Performance) | Journal of Environment and Engineering | **6**-1, 1-16. | 2011 | Akira Nishimura, Kenichi Shibuya, Atsushi Morimoto, Shigeki Tanaka, Masafumi Hirota, Yoshihiro Nakamura, Masashi Kojima, Masahiko Narita |
| 27 | 供給ガス条件とセパレーター構造が PEFC 単セル内温度面分布および発電性能に及ぼす影響評価 | 日本機械学会論文集（B 編） | **77**-776, 934-938. | 2011 | 西村顕, 田中成季, 森本淳志, 大島淳, 廣田真史, 成田雅彦 |
| 28 | Gas-Liquid Flow Distribution in Multiphase Channels with Vertical Upward Branches | The Open Transport Phenomena Journal | DOI:10.2174/1877729501103010017, **3**, 17-30. | 2011 | Zuradzman bin Mohamad Razlan, Hiroaki Goshima, Masafumi Hirota, Ryota Isobe, Yasuhiro Mizuno, Naoki Maruyama, Akira Nishimura |

| | | | | | |
|---|---|---|---|---|---|
| 29 | Effect of Preparation Condition of $TiO_2$ Film and Experimental Condition on $CO_2$ Reduction Performance of $TiO_2$ Photocatalyst Membrane Reactor | International Journal of Photoenergy | DOI:10.1155/2011/305650, **2011**, Article ID 305650, 14 pages. | 2011 | Akira Nishimura, Yuki Okano, Masafumi Hirota, Eric Hu |
| 30 | Experimental Study on Gas-Liquid Flow Distribution in Upward Multi-pass Channels | Journal of JSME Special Issue | SS79-SS85. | 2011 | Mohamad-Razlan Zuradzman, Ryota Isobe, Hiroaki Goshima, Masafumi Hirota, Yasuhiro Mizuno, Naoki Maruyama, Akira Nishimura |
| 31 | $CO_2$ Reforming Characteristics under Visible Light Response of Cr- or Ag-Doped $TiO_2$ Prepared by Sol-Gel and Dip-Coating Process | International Journal of Photoenergy | DOI:10.1155/2012/184169, **2011**, Article ID 184169, 12 pages. | 2011 | Akira Nishimura, Go Mitsui, Katsuya Nakamura, Masafumi Hirota, Eric Hu |
| 32 | セパレーターの表面処理とガス流路ピッチが固体高分子形燃料電池単セル内温度面分布と発電性能に及ぼす影響評価 | 日本機械学会論文集（B 編） | **77**-784, 2478-2492. | 2011 | 西村顕, 田中成季, 近藤弘俊, 廣田真史 |
| 33 | Dominant Factor and Mechanism of Coupling Phenomena in Single Cell of Polymer Electrolyte Fuel Cell | Applied Energy | DOI:10.1016/j.apenergy.2011.01.003, **90**, 73-79. | 2012 | Akira Nishimura, Kenichi Shibuya, Atsushi Morimoto, Shigeki Tanaka, Masafumi Hirota, Yoshihiro Nakamura, Masashi Kojima, Masahiko Narita, Eric Hu |

| | | | | | |
|---|---|---|---|---|---|
| 34 | Influence of Cell Components Structure on Heat and Mass Transfer Phenomena in Single-Cell PEFC | Journal of Energy and Power Engineering | **6**-4, 504-518. | 2012 | Akira Nishimura, Atsushi Morimoto, Shigeki Tanaka, Atsushi Oshima, Masafumi Hirota, Eiji Tohma, Yukio Kimura, Masahiko Narita |
| 35 | $CO_2$ Reforming Characteristics of Metal-Doped $TiO_2$ Coated on Netlike Glass Fiber under Visible Light | Journal of Photocatalysis Science | **3**-2, 81-94. | 2012 | Akira Nishimura, Wataru Fujita, Katsuya Nakamura, Masafumi Hirota, Eric Hu |
| 36 | Wind Turbine Power Output Assessment in Built Environment | Smart Grid and Renewable Energy | **4**-1, 1-10. | 2013 | Akira Nishimura, Takuya Ito, Junsuke Murata, Toshitake Ando, Yasunari Kamada, Masafumi Hirota, Mohan Kolhe |
| 37 | Numerical Study of Pressure Drop Mechanism and Cross Flow Behavior in the Gas Channel and Porous Medium of a Polymer Electrolyte Membrane Fuel Cell | Journal of Thermal Science and Technology | **8**-1, 209-224. | 2013 | K. M. Salahuddin, Akira Nishimura, Nobuyuki Oshima, Litan Kumar Saha |
| 38 | CFD Analysis of Double-Chambered Crematories Using Biomass Producer Gas as a Fuel | International Journal of Modern Engineering Research (IJMER) | **3**-6, 3493-3499. | 2013 | Yaowateera Achawangkul, Naoki Maruyama, Chatchawan Chaichana, Masafumi Hirota, Akira Nishimura, Pimpawat Teeratitayangkul |

| | | | | | |
|---|---|---|---|---|---|
| 39 | Impact of Building Layouts on Wind Turbine Power Output in the Built Environment: A Case Study of Tsu City | Journal of the Japan Institute of Energy | **94**, 315-322. | 2014 | Akira Nishimura, Takuya Ito, Masanobu Kakita, Junsuke Murata, Toshitake Ando, Yasunari Kamada, Masafumi Hirota, Mohan Kolhe |
| 40 | Modeling of Heat Transfer in Single Cell of Polymer Electrolyte Fuel Cell by Means of Temperature Data Measured by Thermograph | Journal of Chemical Engineering of Japan | **47**-7, 521-529. | 2014 | Akira Nishimura, Kazuhiro Iio, Masashi Baba, Taisuke Yamauchi, Masafumi Hirota, Eric Hu |
| 41 | Promotion and Control of Turbulent Mixing of Hot and Cold Airflows in T-junction | Journal of Fluid Science and Technology | DOI: 10.1299/jfst 0042, **9**-3. | 2014 | Takuya Matsuda, Masafumi Hirota, Hideo Asano, Shunichiro Hori, Naoki Maruyama, Akira Nishimura |
| 42 | Temperature Distributions in Single Cell of Polymer Electrolyte Fuel Cell Simulated by an 1D Multi-Plate Heat-Transfer Model and a 3D Numerical Simulation Model | Journal of Energy and Power Engineering | DOI: 10.17265/19 34-8975/201 5.08.002, **9**-8, 687-704. | 2015 | Akira Nishimura, Masashi Baba, Kotaro Osada, Takenori Fukuoka, Masafumi Hirota, Eric Hu |
| 43 | Optimization of Building Layouts to Increase Wind Turbine Power Output in the Built Environment Assumed to be Installed at Fukushima City and Tsu City in Japan | Smart Grid and Renewable Energy | DOI: 10.4236/sgr e.2015.6902 3, **6**, 279-292. | 2015 | Akira Nishimura, Masanobu Kakita, Junsuke Murata, Toshitake Ando, Yasunari Kamada, Masafumi Hirota, Mohan Lal Kolhe |

| | | | | | |
|---|---|---|---|---|---|
| 44 | Clarification on Temperature Distributions in Single Cell of Polymer Electrolyte Fuel Cell under Different Operation Conditions by Means of 1D Multi-Plate Heat-Transfer Model | Journal of Chemical Engineering of Japan | **48**-10, 862-871. | 2015 | Akira Nishimura, Takenori Fukuoka, Masashi Baba, Masafumi Hirota, Eric Hu |
| 45 | 通常より高温で運転した際の固体高分子形燃料電池単セル内熱・物質移動特性 | 化学工学論文集 | **41**-6, 397-405. | 2015 | 西村顕, Amira Hakimi Mahadi, 長田康太郎, 馬場雅, 廣田真史 |
| 46 | Impact of Overlapping Fe/$TiO_2$ Prepared by Sol-Gel and Dip-Coating Process on $CO_2$ Reduction | International Journal of Photoenergy | DOI:10.1155/2016/2392581, **2016**, Article ID 2392581, 12 pages. | 2016 | Akira Nishimura, Xuyan Zhao, Takuya Hayakawa, Noriaki Ishida, Masafumi Hirota, Eric Hu |
| 47 | Analysis on Temperature Distributions in Single Cell of Polymer Electrolyte Fuel Cell when Operated in High Temperature Range | Journal of Energy and Power Engineering | DOI:10.17265/1934-8975/2016.08.001, **10**, 453-464. | 2016 | Akira Nishimura, Kotaro Osada, Takuro Tsunoda, Masato Yoshimura, Masafumi Hirota, Eric Hu |
| 48 | Impact of Operation Condition on Temperature Distribution in Single Cell of Polymer Electrolyte Fuel Cell Operated at Higher Temperature than Usual | Mechanical Engineering Journal | DOI:10.1299/mej.16-00304, **3**-5, 14 pages. | 2016 | Akira Nishimura, Masato Yoshimura, Amir Hakimi Mahadi, Masafumi Hirota, Mohan Lal Kolhe |

| | | | | | |
|---|---|---|---|---|---|
| 49 | Gas-Liquid Flow Distribution Uniformity Parameters in Upward Multi-Pass Compact Evaporator | Jurnal Teknologi | DOI:10.11113/jt.v78.9755, **78**-10-3, 7-11. | 2016 | Zuradzman Mohamad Razlan, Hazry Desa, Shariman Abu Bakar, Khairunizam Wan, Ishak Ibrahim, R. Heng, Abadalsalam T. Hussain, Masafumi Hirota, Naoki Maruyama, Akira Nishimura |
| 50 | Energy Assessment of Building Integrated Photovoltaics and Fuel Cell Systems: Design Study for Building(s) of Mie, Japan | Smart Grid and Renewable Energy | DOI:10.4236/sgre.2017.85010, **8**-5, 129-144. | 2017 | Akira Nishimura, Satoshi Kitagawa, Masafumi Hirota, Mohan Lal Kolhe |
| 51 | An Energy Study Chain from Large Scale Photovoltaic Power Generation from Asian Cities to End Users in Japan | Smart Grid and Renewable Energy | DOI:10.4236/sgre.2017.85010, **8**-5, 145-162. | 2017 | Akira Nishimura, Takaki Yasui, Satoshi Kitagawa, Masafumi Hirota, Eric Hu |
| 52 | Numerical Analysis of Temperature Distributions in Single Cell of Polymer Electrolyte Fuel Cell when Operated in Elevated Temperature Range | Journal of Energy and Power Engineering | DOI:10.17265/1934-8975/2017.06.005, **11**-6, 393-408. | 2017 | Akira Nishimura, Kanji Patoriki Zamami, Masato Yoshimura, Masafumi Hirota, Mohan Lal Kolhe |
| 53 | Assessment on Energy Self-Sufficiency Rate for Building Integrated Photovoltaics and Fuel Cell Systems in Japan | Smart Grind and Renewable Energy | DOI:10.4236/sgre.2017.86013, **8**-6, 195-211. | 2017 | Akira Nishimura, Satoshi Kitagawa, Masafumi Hirota, Eric Hu |

| | | | | | |
|---|---|---|---|---|---|
| 54 | Effect of Fe Loading Condition and Reductants on $CO_2$ Reduction Performance with Fe/$TiO_2$ Photocatalyst | International Journal of Photoenergy | DOI:10.1155/2017/1625274, **2017**, Article ID 1625274, 11 pages | 2017 | Akira Nishimura, Noriaki Ishida, Daichi Tatematsu, Masafumi Hirota, Akira Koshio, Fumio Kokai, Eric Hu |
| 55 | 大規模風力発電電力利用水電解水素と$CO_2$のメタネーションで製造した燃料の変換・輸送モデルの概算評価 | 日本エネルギー学会誌 | **96**-9, 400-407 | 2017 | 西村顕, 森山達也, 嶋野純 |
| 56 | 風力発電電力利用水電解水素の変換・輸送方法の検討 | 化学工学論文集 | **43**-6, 386-392 | 2017 | 西村顕, 森山達也, 嶋野純 |
| 57 | Impact of Heat Transfer Media on Performance of Solar-Hydrogen Power Generation | Smart Grid and Renewable Energy | DOI:10.4236/sgre.2017.812023, **8**, 351-365. | 2017 | Akira Nishimura, Satoshi Kitagawa, Masafumi Hirota, Eric Hu |
| 58 | Impact of Relative Humidity of Supply Gas on Temperature Distribution in Single Cell of Polymer Electrolyte Fuel Cell when Operated at High Temperature | Journal of Energy and Power Engineering | DOI:10.17265/1934-8975/2017.11.004, **11**, 706-718. | 2017 | Akira Nishimura, Masato Yoshimura, Satoru Kamiya, Masafumi Hirota, Eric Hu |
| 59 | Impact of Thickness of Polymer Electrolyte Membrane on Temperature Distribution in Single Cell of Polymer Electrolyte Fuel Cell Operated at High Temperature | Journal of Energy and Power Engineering | DOI:10.17265/1934-8975/2018.02.004, **12**-2, 80-92. | 2018 | Akira Nishimura, Yusuke Sato, Masato Yoshimura, Satoru Kamiya, Masafumi Hirota |

| | | | | | |
|---|---|---|---|---|---|
| 60 | Experimental Study on Gas-Liquid Flow Distributions in Upward Multi-Pass Channels – Comparison of R-134a Flow and Air-Water Flow | Experimental Thermal and Fluid Science | **91**, 134-143. | 2018 | Z. M. Razlan, S. A. Bakar, H. Desa, W. K. Wan, I. Zunaidi, I. Ibrahim, N. S. Kamarrudin, M. J. M. Ridzuan, K. Takiguchi, T. Tsuchiya, Y. Kitaide, M. Hirota, N. Maruyama, A. Nishimura |
| 61 | Energy Characteristics of an Integrated Power Generation System with Photovoltaic and Fuel Cell | Smart Grid and Renewable Energy | **9**, 57-73. | 2018 | Akira Nishimura, Syota Tanikaga, Masafumi Hirota, Eric Hu |
| 62 | Effect of Overlapping Layout of Fe/$TiO_2$ on $CO_2$ Reduction with $H_2$ and $H_2O$ | MOJ Solar and Photoenergy Systems | **3**-1, 1-8. | 2019 | Akira Nishimura, Daichi Tatematsu, Ryuki Toyoda, Masafumi Hirota, Akira Koshio, Fumio Kokai, Eric Hu |
| 63 | Optimum Reductants Ratio for $CO_2$ Reduction by Overlapped Cu/$TiO_2$ | AIMS Materials Science | **6**-2, 214-233. | 2019 | Akira Nishimura, Ryuki Toyoda, Daichi Tatematsu, Masafumi Hirota, Akira Koshio, Fumio Kokai, Eric Hu |

| | | | | | |
|---|---|---|---|---|---|
| 64 | Impact of Thickness of Polymer Electrolyte Membrane and Gas Diffusion Layer on Temperature Distribution in Polymer Electrolyte Fuel Cell Operated at Temperature around 90 ℃ | Journal of Energy and Power Engineering | DOI:10.17265/1934-8975/2019.03.002, **13**, 97-115. | 2019 | Akira Nishimura, Yusuke Sato, Satoru Kamiya, Tatsuya Okado, Kuhei Yamamoto, Masafumi Hirota, Eric Hu |
| 65 | Optimum Molar Ratio to Reduce $CO_2$ Using Pd/$TiO_2$ | AIMS Materials Science | DOI:10.3934/matersci.2019.4.264, **6**-4, 464-483. | 2019 | Akira Nishimura, Tadaki Inoue, Yoshito Sakakibara, Masafumi Hirota, Akira Koshio, Fumio Kokai, Eric Hu |
| 66 | Heat and Mass Transfer Analysis in Single Cell of PEFC Using Different PEM and GDL at High Temperature | International Journal of Hydrogen Energy | DOI:10.1016/j.ijhydene.2019.05.192, **44**, 29631-29640. | 2019 | Akira Nishimura, Satoru Kamiya, Tatsuya Okado, Yusuke Sato, Masafumi Hirota, Mohan Lal Kolhe |
| 67 | Impact of Molar Ratio of $NH_3$ and $H_2O$ on $CO_2$ Reduction Performance over Cu/$TiO_2$ Photocatalyst | Physics & Astronomy International Journal | **3**-5, 176-182. | 2019 | Akira Nishimura, Yoshito Sakakibara, Tadaaki Inoe, Masafumi Hirota, Akira Koshi, Fumio Kokai, Eric Hu |
| 68 | 固体高分子電解質膜とガス拡散層の厚みが高温運転固体高分子形燃料電池単セル内温度分布に及ぼす影響 | 化学工学論文集 | **45**-6, 227-237. | 2019 | 西村顕, 神谷悟, 岡戸達哉, 山本航平, 廣田真史 |

| | | | | | |
|---|---|---|---|---|---|
| 69 | MPL の有無が高温条件 PEFC 単セル内温度分布に与える影響の解析的検討 | 日本機械学会論文集 | DOI:10.1299/transjsme.19-00278, **86**-883. | 2020 | 西村顕, 山本航平, 岡戸達哉, 廣田真史 |
| 70 | Impact of Pd Loading on $CO_2$ Reduction Perfromance over Pd/$TiO_2$ with $H_2$ and $H_2O$ | molecules | DOI:10.3390/molecules25061468, **25**. | 2020 | Akira Nishimura, Tadaaki Inoe, Yoshito Sakakibara, Masafumi Hirota, Akira Koshio, Eric Hu |
| 71 | Impact of Operation Condition on Performance of $CH_4$ Dry Reforming Membrane Reactor for $H_2$ Production | Journal of Energy and Power Technology | DOI:10.21926/jept.2002008, **2**-2. | 2020 | Akira Nishimura, Satoshi Ohata, Kaito Okukura, Eric Hu |
| 72 | Numerical Analysis of Temperature Distributions in Single Cell of PEFC by Heat Transfer Model Considering Vapor Transfer | Journal of Energy and Power Engineering | DOI:10.17265/1934-8975/2020.01.001, **14**, 1-15. | 2020 | Akira Nishimura, Hiroya Fukuoka, Kohei Yamamoto, Tatsuya Okado, Yuya Kojima, Masafumi Hirota, Mohan Lal Kolhe |
| 73 | Impact of MPL on Temperature Distribution in Single Polymer Electrolyte Fuel Cell with Various Thickness of Polymer Electrolyte Membrane | energies | DOI:10.3390/en13102499, **13**-10. | 2020 | Akira Nishimura, Tatsuya Okado, Yuya Kojima, Masafumi Hirota, Eri Hu |
| 74 | Impact Analysis of MPL and PEM Thickness on Temperature Distribution within PEFC Operating at Relatively Higher Temperature | Energy | DOI:10.1016/j.energy.2020.117875. | 2020 | Akira Nishimura, Kohei Yamamoto, Tatsuya Okado, Yuya Kojima, Masafumi Hirota, Mohan Lal Kolhe |

| | | | | | |
|---|---|---|---|---|---|
| 75 | The Impact of Amount of Cu on $CO_2$ Reduction Performance of $Cu/TiO_2$ with $NH_3$ and $H_2O$ | catalysts | DOI:10.3390/catal11050610, **11**-610. | 2021 | Akira Nishimura, Yoshito Sakakibara, Akira Koshio, Eric Hu |
| 76 | Comparison of $CO_2$ Reduction Performance with $NH_3$ and $H_2O$ between $Cu/TiO_2$ and $Pd/TiO_2$ | molecules | DOI:10.3390/molecules26102904, **26**-2904. | 2021 | Akira Nishimura, Ryoga Shimada, Yoshito Sakakibara, Akira Koshio, Eric Hu |
| 77 | Impact Analysis of MPL on a PEFC Cell's Temperature Distribution with Thin PEM and GDL for Operating at Higher Temperature than Usual | Journal of Energy and Power Engineering | DOI:10.17265/1934-8975/2021.02.001, **15**, 39-51. | 2021 | Akira Nishimura, Nozomu Kono, Kyohei Toyoda, Yuya Kojima, Mohan Lal Kolhe |
| 78 | Biogas Dry Reforming for Hydrogen through Membrane Reactor Utilizing Negative Pressure | fuels | DOI:10.3390/fuels2020000, **2**. | 2021 | Akira Nishimura, Tomohiro Takada, Satoshi Ohata, Mohan Lal Kolhe |
| 79 | Impact of Microporous Layer on Heat and Mass Transfer in a Single Cell of Polymer Electrolyte Fuel Cell Using a Thin Polymer Electrolyte Membrane and a Thin Gas Diffusion Layer Operated at a High-Temperature Range | ACS OMEGA | DOI:10.1021/acsomega.1c01693, **6**-22, 14575-14584. | 2021 | Akira Nishimura, Tatsuya Okado, Yuya Kojima, Eri Hu |
| 80 | 垂直ヘッダ型多分岐管における気液二相冷媒流の分配－R410A と R134a における気液分配と圧力損失の比較－ | 日本冷凍空調学会論文集 | DOI:10.11322/tjsrae.21-04NK_OA, **3**-2. | 2021 | 小野寺亜由美, 澤原風花, 畠田崇史, 荒木勇人, 丸山直樹, 西村顕, 廣田真史 |

| | | | | | |
|---|---|---|---|---|---|
| 81 | Numerical Simulation on Impacts of Thickness of Nafion Series Membranes and Relative Humidity on PEMFC Operated at 363 K and 373 K | energies | DOI:10.3390/en142856, **14**. | 2021 | Akira Nishimura, Kyohei Toyoda, Yuya Kojima, Syogo Ito, Eric Hu |
| 82 | Impacts of Separator Thickness on Temperature Distribution and Power Generation Characteristics of a Single PEMFC Operated at Higher Temperature of 363 and 373 K | energies | DOI:10.3390/en15041558, **15**. | 2021 | Akira Nishimura, Yuya Kojima, Syogo Ito, Eric Hu |
| 83 | Impact of Black Body Material Enhanced Gas Movement on $CO_2$ Photocatalytic Reduction Performance | catalysts | DOI:10.3390/catal12050470, **12**-470. | 2022 | Akira Nishimura, Takaharu Kato, Homare Mae, Eric Hu |
| 84 | 垂直ヘッダ型多分岐管における気液二相冷媒流の分配－液相分配の均一性向上の試み－ | 日本冷凍空調学会論文集 | DOI:10.11322/tjsrae.21-04NK_OA, **38**-2, 97-104. | 2022 | 小野寺亜由美, 畠田崇史, 澤原風花, 丸山直樹, 西村顕, 廣田真史 |
| 85 | 太陽光発電電力由来水素サプライチェーンの実装可能性評価（LNG 気化冷熱利用の有効性評価） | 化学工学論文集 | **48**-3, 109-119. | 2022 | 西村顕 |
| 86 | Impact of Separator Thickness on Temperature Distribution in Single Cell of Polymer Electrolyte Fuel Cell Operated at Higher Temperature of 90 ℃ and 100 ℃ | energies | DOI:10.3390/en151242203, **15**-4203. | 2022 | Akira Nishimura, Nozomu Kono, Kyohei Toyoda, Daiki Mishima, Mohan Lal Kolhe |

| | | | | | |
|---|---|---|---|---|---|
| 87 | Impact of Separator Thickness on Temperature Distribution in Single Polymer Electrolyte Fuel Cell Based on 1D Heat Transfer | Energy and Power Engineering | **14**, 248-273. | 2022 | Akira Nishimura, Daiki Mishima, Nozomu Kono, Kyohei Toyoda, Mohan Lal Kolhe |
| 88 | Numerical Analysis on Impact of Thickness of PEM and GDL with and without MPL on Coupling Phenomena in PEFC Operated at Higher Temperature such as 363 K and 373 K | energies | DOI:10.3390/en15165936, **15**-5936. | 2022 | Akira Nishimura, Kyohei Toyoda, Daiki Mishima, Syogo Ito, Eric Hu |
| 89 | LNG 冷熱を利用した風力発電電力由来水素サプライチェーンの有効性評価 | 化学工学論文集 | **48**-5, 182-189. | 2022 | 西村顕 |
| 90 | Utilization from Ultraviolet to Infrared Light for $CO_2$ Reduction with $P_4O_{10}/TiO_2$ Photocatalyst | Physics & Astronomy International Journal | **6**-4, 145-154. | 2022 | Akira Nishimura, Homare Mae, Takahiro Kato, Eric Hu |
| 91 | Impact of Loading Amont of $P_4O_{10}$ on $CO_2$ Reduction Performance of $P_4O_{10}/TiO_2$ with $H_2O$ Extending Absorption Range from Ultraviolet to Infrared Light | Physics & Astronomy International Journal | **6**-4, 186-194. | 2022 | Akira Nishimura, Homare Mae, Ryo Hannyu, Eric Hu |
| 92 | Numerical Simulation on Effect of Separator Thickness on Coupling Phenomena in Single Cell of PEFC under Higher Temperature Operation Condition at 363 K and 373 K | energies | DOI:10.3390/en16020606, **16**-606 | 2023 | Akira Nishimura, Daiki Mishima, Kyohei Toyoda, Syogo Ito, Mohan Lal Kolhe |

| | | | | | |
|---|---|---|---|---|---|
| 93 | Impact of Black Body Material on $CO_2$ Reduction Performance of $P_4O_{10}/TiO_2$ with $NH_3$ | Journal of Physics and Chemistry Research | DOI:10.36266/JPCR/155, **5**, 1. | 2023 | Akira Nishimura, Ryo Hanyu, Homare Mae, Eric Hu |
| 94 | Numerical Analysis on Temperature Distribution in a Single Cell of PEFC Operated at Higher Temperature by 1D Heat Transfer and 3D Muti-Physics Simulation Model | Energy and Power Engineering | **15**, 205-227. | 2023 | Akira Nishimura, Kyohei Toyoda, Daiki Mishima, Eric Hu |
| 95 | 垂直ヘッダ型多分岐管における気液二相冷媒流の分配－分岐管の加熱が液相分配に及ぼす影響－ | 日本冷凍空調学会論文集 | DOI:10.1132/tjsrae.23-01_OA | 2023 | 小野寺亜由美, 畠田崇史, 澤原風花, 森浩平, 丸山直樹, 西村顕, 廣田真史 |
| 96 | An Energy Production System Powered by Solar Heat with Biogas Dry Reforming Reactor and Solid Oxide Fuel Cell | Smart Grid and Renewable Energy | **14**, 85-106. | 2023 | Akira Nishimura, Ryotaro Sato, Eric Hu |
| 97 | Performance Analysis of Hydrogen Production for a Solid Oxide Fuel Cell System Using a Biogas Dry Reforming Membrane Reactor with Ni and Ni/Cr Catalysts | fuels | DOI:10.3390/fuels4030019, **4,** 295-312 | 2023 | Akira Nishimura, Yuki Hayashi, Syogo Ito, Mohan Lal Kolhe |
| 98 | Heat-Transfer Analysis of the Promotion of the $CO_2$ Reduction Performance of a $P_4O_{10}/TiO_2$ Photocatalyst Using as Black Body Material | catalysts | DOI:10.3390/catal13121477, **13**, 1477 | 2023 | Akira Nishimura, Ryo Hanyu, Homare Mae, Hiroki Senoue, Eric Hu |

| | | | | | |
|---|---|---|---|---|---|
| 99 | Impact of Separator Thickness on Relationship between Temperature Distribution and Mass & Current Density Distribution in Single HT-PEMFC | Thermal Science and Engineering | DOI:10.24294/tse.v6i2.4424, **6**. | 2024 | Akira Nishimura, Daiki Mishima, Syogo Ito, Tsubasa Konbu, Eric Hu |
| 100 | $CO_2$ Reduction Performance with Double-Layered $Cu/TiO_2$ and $P_4O_{10}/TiO_2$ as Photocatalyts under Different Light Illumination Conditions | catalysts | DOI:10.3390/catal140270. | 2024 | Akira Nishimura, Hiroki Senoue, Homare Mae, Ryo Hanyu, Eric Hu |
| 101 | Performance of An Energy Production System Consisting of Solar Collector, Biogas Dry Reforming Reactor and Solid Oxide Fuel Cell | fuels | DOI:10.3390/fuels5030016, **5**. | 2024 | Akira Nishimura, Ryotaro Sato, Eric Hu |
| 102 | The Chearacteristics of a Ni/Cr/Ru Catalyst for a Biogas Dry Reforming Membrane Reactor Using a Pd/Cu Membrane and a Comparison of It with a Ni/Cr Catalyst | hydrogen | DOI:10.3390/hydrogen5030024, **5**, 414-435. | 2024 | Akira Nishimura, Mizuki Ichikawa, Souta Yamada, Ryoma Ichii |
| 103 | Impact of Thickness of Pd/Cu Membrane on Performance of Biogas Dry Reforming Membrae Reactor Utilizing Ni/Cr Catalyst | fuels | DOI:10.3390/fuels5030024, **5**. | 2024 | Akira Nishimura, Syogo Ito, Mizuki Ichikawa, Mohan Lal Kolhe |
| 104 | Performance of a Combined Energy System Consisting of Solar Collector, Biogas Dry Reforming and Solid Oxide Fuel Cell: An Indian Case Study | Smart Grid and Reneable Energy | DOI:10.4236/sgre.2024.1510013, **15**, 217-247. | 2024 | Akira Nishimura, Ryotaro Sato, Ryota Nakajima, Eric Hu |

| | | | | | |
|---|---|---|---|---|---|
| 105 | Hydrogen Yield Enhancement in Biogas Dry Reforming with a Ni/Cr Catalyst: A Numerical Study | energies | DOI:10.3390/en17125421, 17. | 2024 | Akira Nishimura, Souta Yamada, Ryoma Ichii, Mizuki Ichikawa, Taisei Hayakawa, Mohan Lal Kolhe |
| 106 | Feasibility Study on Smart Network Transporting and Consuming e-Fuel by Several Carriers Produced by Water Electrolyzer Using Power Generated by Large-Scale Photovoltaic Installed in India | Journal of Chemical Engineering of Japan | DOI:10.1080/00219592.2024.2432266, 57(1). | 2024 | Akira Nishimura, Hayato Naruse, Prema Daigavane |

## 〔II〕国際会議論文（査読有）

| No. | 題　　目 | 発 表 誌 名 | 巻 号 頁 | 発表年 | 共 著 者 |
|---|---|---|---|---|---|
| 1 | Hydrodynamics and Heat Transfer Characteristics in a Pulsed Fluidized Bed as a Heat Exchanger | Proceedings of 6th China-Japan Symposium on Fluidization | 69-74. | 1997 | Akira Nishimura, Seiichi Deguchi, Hitoki Matsuda, Masanobu Hasatani, Arun S. Mujumdar |
| 2 | Solid Flow Patterns and Heat Transfer Characteristics in a Pulsated Fluidized bed with Flowing Large Bubbles | Proceedings of 11th International Heat Transfer Conference | **4**, 485-490. | 1998 | Akira Nishimura, Seiichi Deguchi, Hitoki Matsuda, Masanobu Hasatani, Arun S. Mujumdar |
| 3 | Effects of Particle Properties on Hydrodynamic Behaviors and Heat Transfer Characteristics in Pulsated Fluidized Bed | Proceedings of 8th APCChE (Asian Pacific Confederation of Chemical Engineering) Congress | **3**, 1741-1744. | 1999 | Akira Nishimura, Seiichi Deguchi, Hitoki Matsuda, Noriyuki Kobayashi, Masanobu Hasatani, Arun S. Mujumdar |
| 4 | Bed Behavior and Particle Lateral Mixing in a Two-Dimensional Pulsed Fluidized Bed | Proceedings of 7th China-Japan Symposium on Fluidization | 71-76. | 2000 | Hiroshi Hoshino, Akira Nishimura, Zhanyong Li, Noriyuki Kobayashi, Masanobu Hasatani |
| 5 | Gas-Solid Fluidization and Heat Transfer Characteristics in Closed Oscillating Fluidized Bed with High Amplitude and Low Frequencies | Proceedings of 7th Asian Conference on Fluidized-Bed & Three-Phase Reactors | 101-106. | 2000 | Masayuki Deguchi, Seiichi Deguchi, Kana Tajima, Akira Nishimura, Yukihisa Fujima |

| | | | | | |
|---|---|---|---|---|---|
| 6 | Control of Downward-Flowing Particles in CFB by Contracting Riser Cross Sectional Area | Proceedings of 7th Asian Conference on Fluidized-Bed & Three-Phase Reactors | 143-148. | 2000 | Takaaki Mizuno, Seiichi Deguchi, Yuichi Inaba, Akira Nishimura, Wojciech Nowak, Yukihisa Fujima |
| 7 | Enhancement of Heat and Mass Transfer by Using Pulsed Fluidized Bed | Proceedings of 6th World Congress of Chemical Engineering | CD-ROM, 1-6. | 2001 | Zhanyong Li, Akira Nishimura, Noriyuki Kobayashi, Fujio Watanabe, Masanobu Hasatani |
| 8 | Fluidization Characteristics in a Fluidized Bed of Dissimilar Particles | Proceedings of 13th International Drying Symposium | **A**, 587-595. | 2002 | Zhanyong Li, Noriyuki Kobayashi, Akira Nishimura, Seiichi Deguchi |
| 9 | Reforming of Carbon Dioxide into Fuel-Like Species with Photocatalyst | Proceedings of the 4th Asia Pacific Conference on Sustainable Energy and Environmental Technologies | 24-28. | 2003 | Akira Nishimura, Seizo Kato, Masahiro Hagi, Nobumasa Sugiura |
| 10 | A Design Methodology of Environmentally Conscious Products for Co-Generation Systems | Proceedings of the 16th International Conference on Efficiency, Cost, Optimization, Simulation, and Environmental Impact of Energy Systems | **1**, 529-536. | 2003 | Anugerah Widiyanto, Yucho Sadamichi, Seizo Kato, Naoki Maruyama, Akira Nishimura |

| | | | | | |
|---|---|---|---|---|---|
| 11 | Environmental Impacts Evaluation of Electricity Grid Mix Systems in Four Selected Countries Using a Life Cycle Assessment Point of View | Proceedings of Third International Symposium on Environmentally Conscious Design and Inverse Manufacturing | 26-33. | 2003 | Anugerah Widiyanto, Seizo Kato, Naoki Maruyama, Akira Nishimura, Sate Sampattagul |
| 12 | LCA Evaluation of Reuse/Recycle Impact for Environmental Conscious Industrial Products | Proceedings of Third International Symposium on Environmentally Conscious Design and Inverse Manufacturing | 339-343. | 2003 | Yucho Sadamichi, Yukio Kimura, Anugerah Widiyanto, Seizo Kato, Naoki Maruyama, Akira Nishimura |
| 13 | The Decision-Making Tool for Power Generation Systems Improvement by Using LCA-NETS-GP-Index Method | Abstracts of SETAC Europe 14th Annual Meeting | 198. | 2004 | Sate Sampattagul, Seizo Kato, Naoki Maruyama, Akira Nishimura, Tanongkiat Kiatsiriroat Anugerah Widiyanto |
| 14 | High Yield $CO_2$ Conversion into $CH_4$ by Photocatalyst Multilayer Film | Proceedings of 2nd International Energy Conversion Engineering Conference | CD-ROM, AIAA 2004-5619, 1-9. | 2004 | Akira Nishimura, Nobumasa Sugiura Seizo Kato, Naoki Maruyama, Shinji Kato |
| 15 | Environmental Impact Assessment of Independent Co-generation Systems Using LCA Method | Proceedings of 2nd International Energy Conversion Engineering Conference | CD-ROM, AIAA 2004-5552, 1-10. | 2004 | Naoki Maruyama, Yucho Sadamichi, Anugerah Widiyanto, Seizo Kato, Akira Nishimura |

| | | | | | |
|---|---|---|---|---|---|
| 16 | Photocatalyst Sol-Gel Multi Layers Film for High Yield $CO_2$ Conversion into $CH_4$ | Proceedings of the 10th APCChE (Asian Pacific Confederation of Chemical Engineering) Congress | CD-ROM, 3P-13-006, 1-10. | 2004 | Akira Nishimura, Nobumasa Sugiura, Seizo Kato, Shinji Kato |
| 17 | Influence of Photocatalyst Film Forming Conditions on $CO_2$ Reforming | Proceedings of the 3rd International Energy Conversion Engineering Conference | CD-ROM, AIAA 2005-5536, 1-10. | 2005 | Akira Nishimura, Nobumasa Sugiura, Mitsumasa Fujita, Seizo Kato, Shinji Kato |
| 18 | Influence of Photocatalyst Film Forming Conditions on $CO_2$ Reforming Performance and Condensation of Reforming Product | Proceedings of the 4th International Energy Conversion Engineering Conference and Exhibit | CD-ROM, AIAA 2006-4123, 1-16. | 2006 | Mitsumasa Fujita, Akira Nishimura, Seizo Kato |
| 19 | Total Environmental Assessment of Life Cycle Impact for Power Generation in Japan | Proceedings of the 4th International Energy Conversion Engineering Conference and Exhibit | CD-ROM, AIAA 2006-4080, 1-5. | 2006 | Yucho Sadamichi, Naoki Maruyama, Akira Nishimura, Seizo Kato |

| | | | | | |
|---|---|---|---|---|---|
| 20 | Life Cycle Impact Assessment and Social Acceptability of Renewable Energy Power Plants in Japan | Proceedings of International Conference on Green and Sustainable Innovation | 48-54. | 2006 | Soji Matsuda, Yucho Sadamichi, Naoki Maruyama, Akira Nishimura, Seizo Kato |
| 21 | An Approach to LCIA with Input Impacts Integrated | Proceedings of International Conference on Green and Sustainable Innovation | 179-184. | 2006 | Yucho Sadamichi, Sate Sampattagul, Seizo Kato, Naoki Maruyama, Akira Nishimura |
| 22 | Life Cycle Inventory Analysis and Impact Assessment of Painting Plants, and Expert Software for Optimum Painting Process Selection | Proceedings of International Conference on Green and Sustainable Innovation | 352-358. | 2006 | Naoki Maruyama, Yucho Sadamichi, Yuki Yamaoka, Ryuma Ito, Akira Nishimura, Seizo Kato |
| 23 | $CO_2$ Reforming into Fuel with the Aid of Photocatalyst Film and Gas Separation Membrane for Construction of Carbon Circulation System | Proceedings of the 6th Asia Pacific Conference on Sustainable Energy and Environmental Technologies | CD-ROM, RXN2, 1-6. | 2007 | Akira Nishimura, Mitsumasa Fujita, Seizo Kato |
| 24 | Investigation on Temperature Distribution Measured by Thermography and Simulation on Heat and Mass Transport Phenomena in a Single Cell of Polymer Electrolyte Fuel Cell | Proceedings of the 6th International Energy Conversion Engineering Conference | CD-ROM, AIAA 2008-5740, 1-19. | 2008 | Kenichi Shibuya, Akira Nishimura, Masayuki Takeuchi, Masafumi Hirota, Seizo Kato, Yoshihiro Nakamura, Hironari Tachi, Masahiko Narita |

| | | | | | |
|---|---|---|---|---|---|
| 25 | Visualization of Temperature Distribution and Clarification of Heat and Mass Transfer Mechanism in a Single Cell of PEFC | Proceedings of the Second International Forum on Heat Transfer | CD-ROM, Paper No. 126, 1-8. | 2008 | Akira Nishimura, Kenichi Shibuya, Masayuki Takeuchi, Masafumi Hirota, Seizo Kato, Yoshihiro Nakamura, Hironari Tachi, Masahiko Narita |
| 26 | Life Cycle Assessment and Evaluation of Energy Payback Time on High-Concentration Photovoltaic Power Generation System | Proceedings of the 4th International Green Energy Conference | CD-ROM, Paper ID 79, 1031-1042. | 2008 | Akira Nishimura, Yasushi Hayashi, Kazuo Tanaka, Masafumi Hirota, Seizo Kato, Masakazu Ito, Kenji Araki, Eric J Hu |
| 27 | Solar Thermal Aided Power Generation | Proceedings of the International Conference on Applied Energy | CD-ROM, 1-12. | 2009 | Eric Hu, Yong Ping Yang, Akira Nishimura, Ferdi Yilmaz |
| 28 | $CO_2$ Reforming into Fuel by Membrane Reactor Composed of $TiO_2$ Photocatalyst and Gas Separation Membrane | Abstracts of 10th International Conference on $CO_2$ Utilization | 119. | 2009 | Akira Nishimura, Nobuyuki Komatsu, Go Mitsui, Masafumi Hirota |
| 29 | Clarification on Dominant Factor of Heat and Mass Transfer Phenomena in a Single Cell of PEFC | Abstract Book of the 7th Asia Pacific Conference on Sustainable Energy and Environmental Technologies | 40. | 2009 | Akira Nishimura, Kenichi Shibuya, Atsushi Morimoto, Shigeki Tanaka, Masafumi Hirota, Yoshihiro Nakamura, Masashi Kojima, Masahiko Narita |

| | | | | | |
|---|---|---|---|---|---|
| 30 | Oxidization Characteristics of CO in $H_2$ by $TiO_2$ Photocatalyst Combined with Adsorbent | Abstract Book of the 7th Asia Pacific Conference on Sustainable Energy and Environmental Technologies | 52. | 2009 | Akira Nishimura, Tomokazu Hisada, Masafumi Hirota, Mitsuhiro Kubota, Eric Hu |
| 31 | Clarification on Dominant Factor and Mechanism of Coupling Phenomena in Single Cell of Polymer Electrolyte Fuel Cell | Proceedings of International Conference on Applied Energy | CD-ROM, 1305-1314. | 2010 | Akira Nishimura, Kenichi Shibuya, Atsushi Morimoto, Shigeki Tanaka, Masafumi Hirota, Yoshihiro Nakamura, Masashi Kojima, Masahiko Narita |
| 32 | Gas-liquid Distribution in Upward Multi-Pass Channels of Compact Evaporator | Proceedings of 14th International Heat Transfer Conference | CD-ROM, paper ID: IHTC14 -22588, 1-9. | 2010 | Zuradzman Mohamad Razian, Ryota Isobe, Yasuhiro Mizuno, Hiroaki Goshima, Masafumi Hirota, Naoki Maruyama, Akira Nishimura |
| 33 | An Efficient Method to Generate Power from Low to Medium Temperature Solar and Geothermal Resources | Proceedings of Chemeca | CD-ROM, Paper # 138, 1-7. | 2010 | Eric Hu, Graham J. Nathan, David Battye, Gulliaume Perignon, Akira Nishimura |

| | | | | | |
|---|---|---|---|---|---|
| 34 | Experimental Study on Gas-Liquid Flow Distribution in Upward Multi-pass Channels | Proceedings of 5th International Symposium on Advanced Science and Technology in Experimental Mechanics | CD-ROM, Paper no. 28, 1-6. | 2010 | Zuradzmann Mohamad Razlan, Ryota Isobe, Hiroaki Goshima, Masafumi Hirota, Yasuhiro Mizuno, Naoki Maruyama, Akira Nishimura |
| 35 | Influence of Operation Condition and Structure of Cell Components on Coupling Phenomena in Single Cell of Polymer Electrolyte Fuel Cell | Proceedings of the 8th ASME-JSME Thermal Engineering Joint Conference | CD-ROM, AJTEC2011 -44416, 1-11. | 2011 | Akira Nishimura, Atsushi Morimoto, Shigeki Tanaka, Atsushi Oshima, Masafumi Hirota, Eiji Tohma, Yukio Kimura, Masahiko Narita |
| 36 | $CO_2$ Reforming under Visible Light Response of Cr- or Ag-Doped $TiO_2$ Prepared by Sol-Gel and Dip-Coating Method | Abstracts of Asia Pacific Conference on Sustainable Energy & Environmental Technologies | CD-ROM, A-117, 53. | 2011 | Akira Nishimura, Go Mitsui, Katsuya Nakamura, Masafumi Hirota, Eric Hu |
| 37 | Experimental Study on Gas-liquid Flow Distribution in Upward Multi-Pass Channel (Comparison of R-134a Flow and Air-Water Flow) | Proceedings of ASME-JSME-KSME Joint Fluids Engineering Conference 2011 | CD-ROM, Paper no. AJK2011-32 008. | 2011 | Razlan Mohamad Zuradzman, Hiroaki Goshima, Koji Takiguchi, Toshiaki Tsuchiya, Motohide Okamoto, Masaaki Ajima, Yujiro Kitade, Masafumi Hirota, Naoki Maruyama, Akira Nishimura |

| | | | | | |
|---|---|---|---|---|---|
| 38 | Experimental Study on Gas-Liquid Flow Distribution in Upward Multi-pass Channel Comparison of R-134a Flow and Air-Water Flow | Proceedings of 6th International Symposium on Advanced Science and Technology in Experimental Mechanics | CD-ROM, Paper no. 74, 1-6. | 2011 | Razlan Mohamad Zuradzman, Hiroaki Goshima, Koji Takiguchi, Toshiaki Tsuchiya, Motohide Okamoto, Masaaki Ajima, Yujiro Kitade, Masafumi Hirota, Naoki Maruyama, Akira Nishimura |
| 39 | Effect of Surface Treatment and Gas Channel Pitch of Separator on Heat and Mass Transfer Phenomena in Single Cell PEFC under Power Generation | Proceedings of International Symposium on Eco Topia Science 2011 | 10P02-01, 219. | 2011 | Akira Nishimura, Shigeki Tanaka, Hirotoshi Kondo, Kazuhiro Iio, Masafumi Hirota |
| 40 | Experimental Study on Gas-Liquid Two Phase Flow Distributions in Mutli-Pass Channels | Proceedings of International Heat Transfer Forum 2012 | CD-ROM, Paper no.92, 1-6. | 2012 | Y. Nakagawa, M-R. Zuradzman, M. Hirota, K. Takiguchi, T. Tsuchiya, M. Ajimra, Y. Kitade, M. Okamoto, N. Maruyama, A. Nishimura |
| 41 | Building Design to Promote Output of Wind Turbine Utilizing Wind Blowing through Buildings | Abstracts of the 9th Asia Pacific Conference on Sustainable Energy & Environmental Technologies | 67. | 2013 | Akira Nishimura, Takuya Ito, Masanobu Kakita, Junsuke Murata, Toshitake Ando, Yasunari Kamada, Masafumi Hirota |

| | | | | | |
|---|---|---|---|---|---|
| 42 | Modeling of Heat Transfer in Single Cell of PEFC with Applying Temperature Data Measured by Thermograph | Proceedings of International Symposium on Innovative Materials for Processes in Energy Systems 2013 | IIIC-P7, 465-473. | 2013 | Akira Nishimura, Kazuhiro Iio, Masashi Baba, Taisuke Yamauchi, Masafumi Hirota |
| 43 | Promotion and Control of Turbulent Mixing of Hot and Cold Airflows in T-Junction | Proceedings of 4th International Conference on Jets, Wakes and Separated Flows (ICJWSF 2013) | ICWSF2013 -1086, 6 pages. | 2013 | Takuya Matsuda, Masafumi Hirota, Hideo Asano, Shuichiro Hori, Naoki Maruyama, Akira Nishimura |
| 44 | Analysis on Temperature Distribution in Single Cell of PEFC under Different Gas Supply Conditions | Proceedings of Grand Renewable Energy 2014 International Conference | CD-ROM, P-Hf-11, 4 pages. | 2014 | Akira Nishimura, Taisuke Yamauchi, Masashi Baba, Masafumi Hirota |
| 45 | $CO_2$ Reforming into Fuel by Metal-Loaded $TiO_2$ Photocagtalyst Driven by Visible Light | Proceedings of The 10th Asia Pacific Conference on Sustainable Energy & Environmental Technologies | USB Memory, APCSEET 2015-9, 4 pages. | 2015 | Akira Nishimura, Takuya Hayakawa, Xuyan Zhao, Taiga Kitazumi, Masafumi Hirota, Akira Koshio, Fumio Kokai |
| 46 | Heat and Mass Transfer Characteristics in Single Cell of PEFC Using Nafion Membrane under High Temperature Operation Conditions | Proceedings of International Conference on Power Engineering | CD-ROM, ICOPE-15-1 033, 12 pages. | 2015 | Akira Nishimura, Amir Hakimi Mahadi, Kotaro Osada, Masashi Baba, Masafumi Hirota |

| | | | | | |
|---|---|---|---|---|---|
| 47 | Optimization of Building Layouts to Increase Wind Turbine Power Output in the Built Environment | Proceedings of The 4th Joint Conference on Renewable Energy and Nanotechnology | USB Memory, D-11, 4 pages. | 2015 | Akira Nishimura, Masanobu Kakita, Satoshi Kitagawa, Junsuke Murata, Toshitake Ando, Yasunari Kamada, Masafumi Hirota, Mohan Lal Kolhe |
| 48 | Experimental Study on Gas-Liquid Flow Distributions in Multi-Pass Channels | Proceedings of 24th IIR International Congress of Refrigeration | CD-ROM, 8 pages. | 2015 | Naoki Noda, Masafumi Hirota, Toshitake Tsuchiya, Yujiro Kitaide, Naoki Maruyama, Akira Nishimura |
| 49 | Gas-Liquid Two-Phase Flow Distributions in Multipass Channels | Proceedings of Asian Symposium on Computational Heat Transfer and Fluid Flow | CD-ROM, 8 pages. | 2015 | Masafumi Hirota, Naoki Noda, Toshitake Tsuchiya, Yujiro Kitaide, Naoki Maruyama, Akira Nishimura |
| 50 | Proposal and Feasibility Study on Solar Energy Utilization System Integrated with Building | Proceedings of 15th International Conference on Sustainable Energy (SET2016) | USB Memory, #55, 1 page. | 2016 | Akira Nishimura, Satoshi Kitagawa, Masafumi Hirota |
| 51 | Clarification on Temperature Distribution in Single Cell of PEFC by Heat Balance Model and CFD-ACE+ | Proceedings of The 20th International Drying Symposium (IDS2016) | USB Memory, P2-41, 6 pages. | 2016 | Akira Nishimura, Kotaro Osada, Takuro Tsunoda, Masato Yoshimura, Masafumi Hirota |

| | | | | | |
|---|---|---|---|---|---|
| 52 | Grid Integration of PEM Fuel Cell with Multiphase Switching for Maximum Power Operation | Proceedings of POWERCORN 2016 | USB Memory, Paper No.295, 5 pages. | 2016 | K. M. S. Konara, Mohan Lal Kolhe, Akira Nishimura |
| 53 | Gas-Liquid Distribution of Refrigerant Two-Phase Flow in Multi-Pass Channels | Proceedings of 4th International Forum on Heat Transfer | USB Memory, 6 pages. | 2016 | Yuki Nakao, Hidetaka Nomoto, Akira Ekawa, Masafumi Hirota, Naoki Maruyama, Akira Nishimura |
| 54 | Experimental Study on Distribution of Gas-Liquid Refrigerant Flows in Multi-Pass Channels | Proceedings of 1st Asian Conference on Thermal Science | USB Memory, 5 pages. | 2017 | Yuki Nakao, Akira Ekawa, Masafumi Hirota, Naoki Maruyama, Akira Nishimura |
| 55 | Prediction of Temperature Distribution in Single Cell of PEFC Operated under High Temperature | Proceedings of the 2nd International Conference on New Energy and Future Energy System | FES1431, 8-9. | 2017 | Akira Nishimura, Kanji Patoriki Zamami, Masato Yoshimura, Masafumi Hirota |
| 56 | Visual Observation of Refrigerant Gas-Liquid Flow Distributions in Multi-Pass Channels with Inner Pipe | Proceedings of 11th Pacific Symposium on Flow Visualization and Image Processing | USB Memory, 6 pages. | 2017 | Akira Ekawa, Masafumi Hirota, Naoki Maruyama, Akira Nishimura |
| 57 | Energy Assessment on Double Power Generation System of Building Integrated Photovoltaic and Fuel Cell | Abstract Book of Intenational Conference on Smart Technolgies for Energy,Environment &Sustainable Development | Paper ID 155, 44-45. | 2018 | Akira Nishimura |

| | | | | | |
|---|---|---|---|---|---|
| 58 | Design of Smart Building to Utilize Renewable Energy Source Effectively | Abstract Book of Intenational Conference on Smart Technolgies for Energy, Environment & Sustainable Development | Plenary Talk-III, 14. | 2018 | Akira Nishimura |
| 59 | Investigation on Reductants and Layout of $Cu/TiO_2$ for Improvement of $CO_2$ Reduction Perfromance | Proceedings of 16th International Conference on Carbon Dioxide Utilization | OP76, ID10, 1. | 2018 | Akira Nishimura, Ryuki Toyoda, Daichi Tatematsu, Masafumi Hirota, Akira Koshio, Fumio Kokai |
| 60 | Effect of Components Thickness on Heat and Mass Transfer Phenomena in Single Cell of PEFC Operated at High Temperature | Proceedings of 2018 International Symposium on Hydrogen Energy and Energy Technologies | 83, https://doi.org/10.1051/e3sconf/20198301007, 11 pages. | 2018 | Akira Nishimura, Satoru Kamiya, Tatsuya Okado, Yusuke Sato, Masafumi Hirota |
| 61 | Experimental Investigation on Impact of Thickness of PEM and GDL on Temperature Distribution in Single PEFC Generated at High Temperature | Abstracts of 18th Asian Pacific Confederation of Chemical Engineering Congress | M225, 1 page. | 2019 | Akira Nishimura, Satoru Kamiya, Tatsuya Okado, Kouhei Yamamoto, Masafumi Hirota |
| 62 | Analysis on Impact of Components' Thickness on Temperature Distribution in Single Cell of PEFC at High Temperature Operation than Usual | Proceedings of the Fifth International Symposium on Innovative Materials and Processes in Energy Systems | USB Memory, C112, 4 pages. | 2019 | Akira Nishimura, Yusuke Sato, Kouhei Yamamoto, Satoru Kamiya, Tatsuya Okado, Masafumi Hirota |

| | | | | | |
|---|---|---|---|---|---|
| 63 | Approach to Promote $CO_2$ Reduction with $H_2$ and $H_2O$ over $Pd/TiO_2$ | Abstract Book of Intenational Conference on Materials and Systems for Sustainability | A3-P-5, 1 page. | 2019 | Akira Nishimura, Tadaaki Inoe, Yoshito Sakakibara, Masafumi Hirota, Akira Koshio, Fumio Kokai |
| 64 | Effect of MPL on Heat and Mass Transfer Characteristics of PEFC Changing PEM Thickness Operated at Higher Temperature than Usual | Proceedings of The 2nd Asian Conference on Thermal Science 2021 | On-line, 2 pages. | 2021 | Akira Nishimura, Tatsuya Okado, Yuya Kojima, Masafumi Hirota |
| 65 | Gas-Liquid Distributions and Pressurte Loses of Refrigerant Flows in Multi-pass Channels with Vertical Headers | Prodeedings of The 2nd Asian Conference on Thermal Science 2021 | 50121, on-line, 2 pages. | 2021 | Ayumi Onodera, Fuuka Sawahara, Takafumi Hatada, Yuto Araki, Naoki Maruyama, Akira Nishimura, Masfumi Hirota |
| 66 | Assessement on Operation Conditiojns of $CH_4$ Dry Reformingh Mmebrane Reactor to Produce $H_2$ | Proceedings of International Conference on Power Engieering | C231, on-line, 4 pages. | 2021 | Akira Nishimura, Satoshi Ohata, Tamohiro Takada |
| 67 | Effect of Pressure Difference Provided for Hydrogen Permeatiojn Membrane on Performance of Biogas Dry Reforming | Abstract Proceedings of International Conference on Materials and Systems for Sustainability | Paper ID: 1010, on-line, 1 page. | 2021 | Akira Nishimura, Yuki Hayashi, Tomohiro Takada |

| | | | | | |
|---|---|---|---|---|---|
| 68 | $CO_2$ Reduction into Fuel by $Pd/TiO_2$ Photocatalyst Changing the Combination of $H^+$ Provider | Abstract Book of The First Symposium on Carbon Utilization Technologies for the Global Environment | B5-3, 2 pages. | 2021 | Akira Nishimura, Tadaaki Inoue, Yoshito Sakakibara, Masafumi Hirota, Akira Koshio |
| 69 | Investigation on Impact of Operation Condition on Hydrogen Production from Biogas Dry Reforming in Membrane Reactor | Proceeddings of International Conference on Power Engineering (ICOPE-2023) | ICOPE-2023 -1011 | 2023 | Akira Nishimura, Yuki Hayashi, Syogo Ito, Ryotaro Sato Souta Yamada |
| 70 | Gas-Liquid Distributions of Refrigerant Flows in Multi-pass Channels with Vertical Headers – Influence of Heating of Branch Tubes on Liquid Distribution Characteristics – | Proceedings of International Congress of Refrigeration 2023 | 10 pages. | 2023 | Ayumi Onodera, Takahumi Hatada, Kohei Mori, Masafumi Hirota, Akira Nishimura Naoki Maruyama |
| 71 | Development of Zone Air-Conditioning System for Factories Using Air Curtains | Proceedings of International Congress of Refrigeration 2023 | 12 pages. | 2023 | Yuudai Mori, Shigeyuki Nagasaka, Naoya Shinada, Jiang Zhang, Masazumi Gohdo, Hiroshi Nakayama, Tsuyoshi Ao, Kotohiko Murase, Mizuki Satoh, Kohki Komada, Masafumi Hirota, Akira Nishimura, Naoki Maruyama |

| | | | | | |
|---|---|---|---|---|---|
| 72 | Assessment on Energy System Consisting of Solar Collector, Biogas Dry Reforming Membrane Reactor and SOFC | Proceedings of International Conference on Materials and Systems for Sustainability (ICMaSS2023) | A4-1-3, 1 page. | 2023 | Akira Nishimura, Ryotaro Sato, Souta Yamada, Shogo Ito, Mkzuki Ichikawa |
| 73 | Infulence of Operation Conditioon on $H_2$ Production Characteristics of Biogas Dry Reforming Membrane Reactor | Proceedings of International Workshop for Sustainable Energy Conversion Systems 2024 | On-line, 8 pages. | 2024 | Akira Nishimura, Shogo Ito, Mizuki Ichikawa, Souta Yamada, Ryoma Ichii |

## 〔III〕国際会議論文（査読なし）

| No. | 題　　目 | 発 表 誌 名 | 巻 号 頁 | 発表年 | 共 著 者 |
|---|---|---|---|---|---|
| 1 | Design of Smart Energy Supply to Utilize Renewable Energy Source Effectively | Integrating Doamin Knowledge for Managing Sustainable Energy | No Proceedings (Invited Speech) | 2020 | Akira Nishimura |
| 2 | Effect of MPL on Temperature Distribution in Single PEFC with Various Thickness of PEM and GDL Operated at Higher Temperature | 11th International Conference on Power, Energy and Electric Engineering | No Proceedings (Invited Speech) | 2021 | Akira Nishimura |
| 3 | Heat Transfer Anaysis on Effect of MPL as well as Thickness of PEM and GDL on Temperature Distribution in Single Cell of PEFC Operated at Higher Temperature than Usual | 2nd International Webinar on Energy | No Proceedings (Keynote Speech) | 2021 | Akira Nishimura |
| 4 | $CO_2$ Reduction Performance of $Cu/TiO_2$ Photocatalyst with $NH_3$ and $H_2O$ | 4th Edition of Applied Science and Engineering and Technology Webiner | No Proceedings (Kyenote Speech) | 2021 | Akira Nishimura |
| 5 | Renewable Hydrogen Supply Chain Utilizing LNG Cold Heat | Renewable and Sustainable Enegy Virtual 2021 | No Proceedings (Invited Speech) | 2021 | Akira Nishimura |

| | | | | | |
|---|---|---|---|---|---|
| 6 | Approach to Optimize the Components Combination of PEFC for Target Operation Temperature Indicated by NEDO Road Map in Japan | The 6th International Conference on New Energy and Future Energy Systems | Abstract of the 6th International Conference on New Energy and Future Energy System (Invited Speech) | 2021 | Akira Nishimura |
| 7 | Numerical Analysis on Coupling Phenomena in Single Cell of PEFC under High Temperature Operation Condition than Usual | 5th Edition of Appplied Science, Engineering and Technology Virtual | No Proceedings (Invited Speech) | 2021 | Akira Nishimura |
| 8 | Numerical Analysis of Through-plane Separator Shape on Temperature Distribution in Single Cell of Operated at Higher Temperature than Usual | 3rd Global Webinar on Applied Science, Engineering and Technology | No Proceedings (Keynote Speech) | 2022 | Akira Nishimura |
| 9 | Impact of Components on Heat Transfer Phenomena in PEFC under Higher Temperature Operation than Usual | 12th International Conference on Power, Energy and Electric Engineering | Abstract Book of 12th International Conference on Power, Energy and Electric Engineering (Invited Speech) | 2022 | Akira Nishimura |

| | | | | | |
|---|---|---|---|---|---|
| 10 | Effetive Utilization of Wide Wavelength of Light Composing Sunlight to Promote $CO_2$ Photocatalytic Reduction Performance | 2nd Global Virtual Summit on Catalyst & Chemical Engineering | Abstract Book of 2nd Global Vertual Summit on Catalysts & Chemical Engineering (Invited Speech) | 2022 | Akira Nishimura |
| 11 | Feasibility Study on Energy Supply Chain Combinin Renewable Energy and Hydrogen | RENEWABLE MEET2022 | No Proceedings (Keynote Speech) | 2022 | Akira Nishimura |
| 12 | Impact of Through-plane Separator Shape on Heat and Mass Transfer Phenomena in Single Cell of PEFC Operatad at Higher Temperature than Usual | 6th Edition of Applied Science, Engineering and Technology Virtual | No Proceedings (Keynote Speech) | 2022 | Akira Nishimura |
| 13 | Investigation on Optimum Components Thickness of PEFC under Higher Temperature Operation than Usual | International Meet on Power and Energy Engineering | Abstract of International Meet on Power and Energy Engineering (Keynote Speech) | 2022 | Akira Nishimura |

| | | | | | |
|---|---|---|---|---|---|
| 14 | Analysis on Temperature Distribution in Single Cell of PEFC Operated at 373 K Simulated by Heat Transfer Model Considering Vapor Transfer | 4th Global Webinar on Applied Science, Engineering and Technology | Abstract Book of 4th Global Webinar on Applied Science, Engineering and Technology (Keynote Speech) | 2022 | Akira Nishimura |
| 15 | Impact of Black Body Material Enhancing Gas Movement on $CO_2$ Reduction Performance of $TiO_2$ Photocatalyst | 2nd Edition of Catalysis, Chemmical Engineering and Technology Virtual | No Proceedings (Keynote Speech) | 2022 | Akira Nishimura |
| 16 | Absorption from Ultraviolet to Infrared Light for Promotion of $CO_2$ Reduction with $P_4O_{10}/TiO_2$ | CATALYSIS MEET2022 | No Proceedings (Keynote Speech) | 2022 | Akira Nishimura |
| 17 | Optimization of Operation Condition for Membrane Reactor to Produce Hydrogen from Biogas Dry Reforming | 5th Global Webinar on Applied Science, Engineering and Technology | Abstract Book of 5th Global Webinar on Applied Science, Engineering and Technology (Keynote Speech) | 2022 | Akira Nishimura |

| | | | | | |
|---|---|---|---|---|---|
| 18 | Mass Transfer Promotion by Black Body Material to Improve the $CO_2$ Reduction Performance of $TiO_2$ Photocatalyst | 10th International Conference on Catalysis and Chemical Engineering | No Proceedings (Invited Speech) | 2022 | Akira Nishimura |
| 19 | Assessment on Energy Efficiency and $CO_2$ Emission Inhibition Effect of Renewable Hydrogen Supply Chain | 2nd International Meet on Renewable and Sustainable Energy | Proceedings of 2nd International Meet on Renewable and Sustainable Energy (Keynote Speech) | 2023 | Akira Nishimura |
| 20 | Numerical Simulation on Effect of Separator Thickness on Coupling Phenomena in Single Cell of PEFC under Higher Temperature Operation Condition | Power and Energy Engineering Virtual | No Proceedings (Keynote Speech) | 2023 | Akira Nishimura |
| 21 | Mass Transfer Promotion by Black Body Material to Improve the $CO_2$ Reduction Performance of $P_4O_{10}/TiO_2$ Photocatalyst with $NH_3$ | 3rd Edition of Catalysis, Chemical Engineering and Technology Virtual | No Proceedings (Keynote Speech) | 2023 | Akira Nishimura |
| 22 | Feasibility Study on Energy Supply Chain of Green Hydrogen Utilizing LNG Cold Heat | Global Experts Conference on Renewable and Sustainable Energy (GECRSE-23) | No Proceedings (Invited Speech) | 2023 | Akira Nishimura |

| | | | | | |
|---|---|---|---|---|---|
| 23 | Approach to Improve the Performance of Membrane Reactor to Produce Hydrogen From Biogas Dry Refiorming | International Summit on Non-Renewable and Renewable Energy (ISNRE2023) | No Proceedings (Plenary Speech) | 2023 | Akira Nishimura |
| 24 | System Design and Evaluation on Membrane Reactor to Produce Hydrogen via Biogas Dry Reforming | International Conference on Renewable and Sustainable Energy (RENEWABLEENG-2023) | No Proceedings (Invited Speech) | 2023 | Akira Nishimura |
| 25 | Numerical Analysis on Temperature Disribution in a Single Cell of HT-PEFC – Validation of 1D Heat Transer Model by 3D Multi-physics Simulation Model – | Global Congress on Renewable and Sustainable Energy (GCRSE-23) | No Proceedings (Pleanary Speech) | 2023 | Akira Nishimura |
| 26 | Investigation on Performance of Membrane Reactor to Produce Hydrogen from Biogas Dry Reforming Using Ni or Ni/Cr Catalyst | RENEWABLEMEET2024 | No Proceedings (Kyenote Speech) | 2024 | Akira Nishimura |

## 〔IV〕総説

(1) 光触媒による $CO_2$ の改質・資源化，機械の研究，西村顕，Vol.64，No.12，1001-1009，2012.

(2) 風力発電と太陽光発電を組み合わせた発電システム設置ビルモデルの最適設計，ケミカルエンジニヤリング，西村顕，Vol.59，No.11，24-34，2014.

(3) 燃料電池，化学工学，西村顕，Vol.82，No.10，592-593，2018.

(4) 脱炭素社会実現に向けた再エネ積極導入のための街づくり，日刊工業新聞第 2 部地球環境特集，2022 年 2 月 10 日掲載，西村顕.

(5) 研究室紹介「三重大学工学部総合工学科機械工学コース熱エネルギーシステム研究室」，冷凍，廣田真史，丸山直樹，西村顕，Vol.5，No.97，1132，2022.

## 〔V〕著書

(1) Proceedings of The 10th Tri-University International Joint Seminar & Symposium 2003, Edited by N. Ito, S. Kato, H. Ehara, Y. Morio, A. Nishimura, Y. Suzuki and N. Maruyama, Published by Mie University, Printed by Mie University Cooperative Society, 2003.

(2) 産学連携「中核人材育成プログラム実証講座」第二講座テキスト　事例に学ぶVIII熱・流体力学，西村顕，熱・流体力学（熱流体輸送現象III，pp.83-114 を担当），三重大学工学部機械工学科編集，三重大学出版会発行，2007.

(3) 最新伝熱計測ハンドブック，西村顕，7.5 圧力測定，7.8 流量・流速の測定を担当，株式会社テクノシステム編集・発行，2011.

(4) Planet Earth 2011 – Global Warming Challenges and Opportunities for Policy and Practice, Akira Nishimura and Eric Hu, Chapter 17. Reforming $CO_2$ into Fuel Using a $TiO_2$ Photocatalyst Membrane Reactor を担当, In Tech – Open Access Publisher 発行, 2011.

(5) Thermal Power Plants, Eric Hu, Yongping Yang and Akira Nishimura, Chapter 1. Solar Aided Power Generation: Generating “Green” Power from Conventional Fossil Fuelled Power Stations を担当, Mohammad Rasul 編集, InTech 発行, 2012.

(6) 新編化学工学，西村顕，1.1 単位と次元，1.2 熱力学を担当，共立出版編集・発行，2012.

(7) Photo-Electrochemistry & Photo-Biology for the Sustainability, Akira Nishimura and Eric Hu, Chapter 9. New Development in $CO_2$ Reforming Technology: Using $TiO_2$ Photocatalyst Film を担当, S. Kaneco, B. Viswanathan and H. Katsumata 編集, Union Press 発行, 2012.

(8) Global Warming – Causes, Impacts and Remedies, Akira Nishimura and Mohan Kolhe, Chapter 7: A Study on Assessment of Power Output by Integrating Wind Turbine and Photovoltaic Energy Source with Futuristic Smart Buildings を担当, Bharat Raj Singh 編集, InTech 発行, 2015.

(9) Carbon Dioxide Chemistry, Capture and Oil Recovery, Akira Nishimura, Chapter 4: Effect of Overlapping Fe/$TiO_2$ Coated on Netlike Glass Disc and Cu Disc on $CO_2$ Reduction を担当, Iyad Karame, Janah Shaya and Hassan Stour 編集, InTech 発行, 2018.

(10) 最近の化学工学 67「進化する燃料電池・二次電池－反応・構造・製造技術の基礎と未来社会を支える電池技術－」，西村顕，2-2　伝熱を担当，化学工学会関東支部編集・発行，三恵社出版，2019.

(11) Smart Technologies for Energy, Environment and Sustainable Development – Select Proceedings of ICSTEESD 2018, Akira Nishimura, Energy Assessment on Double Power Generation System of Building Integrated Photovoltaic and Fuel Cell を担当, Mohan Kolhe, Pawan Kumar Labhasetwar, H. M. Suryawanshi 編集, Springer 発行, 2019.

(12) Top 10 Contributions in Chemical Engineering, Akira Nishimura, Go Mitsui, Masafumi Hirota and Eric Hu, $CO_2$ Reforming Performance and Visible Light Responsibility of Cr-Doped $TiO_2$ Prepared by Sol-Gel and Dip-Coating Method を担当，Avid Science 発行, 2019.

(13) Prime Archives in Melecular Sciences, Akira Nishimura, Tadaaki Inoe, Yoshito Sakakibara, Masafumi Hirota, Akira Koshio and Eric Hu, Impact of Pd Loading on $CO_2$ Reduction

Performance over Pd/$TiO_2$ with $H_2$ and $H_2O$ を担当, Vide Leaf 発行，2020.

(14) Photochemistry and Photophysics – Recent Advances, Akira Nishimura, $CO_2$ Reduction Characcteristics of Cu/$TiO_2$ with Various Reductants を担当, InTech Open 発行, 2020.

(15) カーボンニュートラルに向けたエネルギー貯蔵技術研究会報告書，西村顕，3.4-1　スマートネットワーク，3p を担当，一般社団法人日本機械学会動力エネルギーシステム部門カーボンニュートラルに向けたエネルギー貯蔵技術研究会編集・出版，2024.

## 〔VI〕新聞記事

1. 日刊工業新聞第 2 部地球環境特集，2022 年 2 月 10 日掲載，「脱炭素社会実現に向けた再エネ積極導入のための街づくり」，西村顕

## 〔VII〕特許

1. 特許第 5885103 号，発明の名称：風力発電と太陽光発電の 2 種類の発電手段で構成される発電システムの発電評価システム，発明者：西村顕，鎌田泰成，安藤俊剛，村田淳介

本特許の概要として請求事項および技術分野を以下に抜粋する．

**【特許請求の範囲】**

**【請求項 1】**

1以上のビルと，当該ビルが配置される敷地と，該敷地内に配置される風力発電手段と太陽光発電手段の2種類の発電手段とからなる複合発電手段と，該複合発電手段についての発電評価指数を算出する発電指数算出手段と，電力消費形態データベースから構成される発電評価システムであって，前記発電指数算出手段が，気象条件と，施設条件と，電力消費形態に基づいて前記複合発電手段について1以上の発電評価指数を算出し，前記気象条件が時間的に変動する風速，風向，日射時間帯，日射強度，気温を含み，前記施設条件がビルサイズ，ビル棟数，ビル配置，敷地面積を含み，前記2種類の発電手段の何れか一方の発電手段に設定される規制条件が，他方の発電手段に設定される前記規制条件を規制し，前記規制条件が少なくとも太陽光パネルの表面温度，太陽光パネル表面の風速（風力），ビルサイズ，ビル棟数，ビル配置，敷地面積であることを特徴とする発電評価システム．

**【請求項２】**

前記発電評価指数算出手段が，3次元流体解析ソフトを用い，少なくとも時間変動する気象条件の風速，風向および施設条件のビルサイズ，ビル棟数，ビル配置，敷地面積を考慮した風力発電手段に関する発電評価指数を算出することを特徴とする請求項1に記載の発電評価システム．

**【請求項３】**

前記発電評価指数算出手段が，前記太陽光発電手段の発電評価指数を算出するに当たり，少なくとも時間変動する太陽光パネルの表面温度，太陽光パネル表面の風速（風力）を考慮した太陽光発電手段に関する発電評価指数を算出することを特徴とする請求項1又は2の何れか1項に記載の発電評価システム．

**【請求項４】**

前記異なる消費形態に関する電力消費形態データベースと前記発電指数算出手段に基づき算出した発電指数を有する複合発電手段との時間的，季節的変動対応性を評価することを特徴とする請求項1に記載の発電評価システム．

**【請求項５】**

前記2種類の発電手段の何れか一方の発電手段に設定される前記気象条件と前記施設条件が，

他方の発電手段に設定される前記気象条件と前記施設条件を規制する因子として，太陽光パネルの表面温度，太陽光パネル表面の風速（風力），ビルサイズ，ビル棟数，ビル配置，敷地面積を考慮することを特徴とする請求項1に記載の発電評価システム．

**【技術分野】**

本発明は，気象条件として時間的に変動する風速，風向，日射時間帯，日射強度，気温を，また施設条件としてビルサイズ，ビル棟数，ビル配置，敷地面積をそれぞれ考慮した風力発電手段と太陽光発電手段の2種類の発電手段とからなる複合発電手段について,異なる消費形態に対応して敷設条件や運転条件を評価できる発電評価システムである．

## 〔VIII〕受賞

1. Young Scientist Award, Akira Nishimura, "$CO_2$ Reforming into Fuel by Membrane Reactor Composed of $TiO_2$ Photocatalyst and Gas Separation Membrane", The 10th International Conference on $CO_2$ Utilization, Tianjin (China), May 17-23, 2009

2. 化学工学論文集優秀論文賞，西村顕，竹内将幸，澁谷健一，廣田真史，加藤征三，中村義弘，小島正嗣，成田雅彦，舘祐成，葛山弘一，"サーモグラフィーによる固体高分子形燃料電池の in situ 温度面分布計測と温度面分布生成因子の解明"，化学工学論文集，Vol. 35，No.5，pp.442-453，2009.

3. 若手優秀講演フェロー賞，堀秀一郎，廣田真史，浅野秀夫，松田拓也，丸山直樹，西村顕，"T 形合流管内における高・低温空気流の乱流混合促進・制御"，熱工学コンファレンス，2011.

4. Best Paper Award, Akira Nishimura, "Energy Assessment on Double Power Generation System of Building Integrated Photovoltaic and Fuel Cell", Interantional Conference on Smart Technologies for Energy, Environment and Sustaiable Development (ICSTEESC-18), Nagpur (India), July 28-29, 2018.

5. 三重大学優秀論文賞, Akira Nishimura, Kohei Yamamoto, Tatsuya Okado, Yuya Kojima, Masafumi Hirota and Mohan Lal Kolhe, "Impact Analaysi of MPL and PEM Thickness on Temperature Distreibution within PEFC Operated at Relatively Higher Temperature", Energy, Vol.205, DOI:10.1016/j.energy.2020.117875, 2020.

6. 若手優秀講演賞，豊田恭平，三島大季，伊藤将吾，西村顕，"高温発電条件の PEFC 単セル内伝熱現象に及ぼす動作温度および MPL 有無の影響解析"，日本伝熱学会東海支部講演会，2022.

7. 日本機械学会東海支部研究賞，西村顕，“固体高分子形燃料電池単セル内熱・物質移動現象解明に関する研究”，2023.

8. 三重大学優秀論文賞, Akira Nishimura, Ryoga Shimada, Yoshito Sakakibara, Akira Koshio and Eric Hu, “Comparison of $CO_2$ Reduction Performance with $NH_3$ and $H_2O$ between $Cu/TiO_2$ and $Pd/TiO_2$”, moecules, Vol.26, No.2904, DOI:10.3390/molecules26102904, 2021.

9. 日本冷凍空調学会・学術賞，小野寺亜由美，畠田崇史，澤原風花，森浩平，丸山直樹，西村顕，廣田真史，“垂直ヘッダ型分岐管における気液二相冷媒流の分配－分岐管の加熱が液相分配に及ぼす影響－”，日本冷凍空調学会論文集，Vol.40，No.2，pp.47-55，2023.

10. 若手優秀講演賞，山田窓太，西村顕，市位亮磨，市川瑞樹，早川大成，“反応温度と流入ガスモル比がバイオガスドライリフォーミング反応特性に与える影響解析”，日本伝熱学会東海支部講演会，2024.